

1 Harmonic Mean Quartiles

CM1, TRUE

Rank	Dataset	Treatment	Class	50%
1	cm1	IDEACLUSTER-0.5-logXY	TRUE	
2	cm1	IDEACLUSTER-PRUNED10%-0.5-logXY	TRUE	
3	cm1	IDEACLUSTER-PRUNED20%-0.5-logXY	TRUE	
4	cm1	IDEACLUSTER-PRUNED30%-0.5-logXY	TRUE	
5	cm1	log	TRUE	
5	cm1	IDEACLUSTER-PRUNED10%-0.5-logX	TRUE	
6	cm1	IDEACLUSTER-PRUNED20%-0.5-logX	TRUE	
7	cm1	IDEACLUSTER-PRUNED30%-0.5-logX	TRUE	
8	cm1	IDEACLUSTER-PRUNED10%-0.4-logXY	TRUE	
9	cm1	IDEACLUSTER-PRUNED20%-0.4-logXY	TRUE	
10	cm1	IDEACLUSTER-PRUNED30%-0.4-logXY	TRUE	
11	cm1	IDEACLUSTER-0.5-logX	TRUE	
12	cm1	IDEACLUSTER-0.4-logXY	TRUE	
12	cm1	IDEACLUSTER-0.4-logX	TRUE	
13	cm1	IDEACLUSTER-PRUNED10%-0.4-logY	TRUE	
14	cm1	IDEACLUSTER-PRUNED10%-0.4-logX	TRUE	
15	cm1	IDEACLUSTER-PRUNED20%-0.4-logX	TRUE	
16	cm1	IDEACLUSTER-PRUNED30%-0.4-logX	TRUE	
17	cm1	IDEACLUSTER-0.5-logY	TRUE	
18	cm1	IDEACLUSTER-PRUNED10%-0.5-logY	TRUE	
19	cm1	IDEACLUSTER-PRUNED20%-0.5-logY	TRUE	
19	cm1	IDEACLUSTER-0.4-logY	TRUE	
19	cm1	IDEACLUSTER-PRUNED30%-0.5	TRUE	
20	cm1	IDEACLUSTER-PRUNED30%-0.5-logY	TRUE	
21	cm1	IDEACLUSTER-PRUNED20%-0.4-logY	TRUE	
22	cm1	IDEACLUSTER-PRUNED20%-0.5	TRUE	
23	cm1	IDEACLUSTER-PRUNED30%-0.4-logY	TRUE	
24	cm1	IDEACLUSTER-0.5	TRUE	
25	cm1	IDEACLUSTER-PRUNED10%-0.5	TRUE	
26	cm1	IDEACLUSTER-0.2-logXY	TRUE	
27	cm1	IDEACLUSTER-PRUNED10%-0.2-logXY	TRUE	
28	cm1	IDEACLUSTER-PRUNED20%-0.2-logXY	TRUE	
28	cm1	IDEACLUSTER-PRUNED30%-0.2-logX	TRUE	

CM1, FALSE

Rank	Dataset	Treatment	Class	50%
1	cm1	IDEACLUSTER-0.5-logXY	FALSE	
1	cm1	IDEACLUSTER-PRUNED10%-0.5-logXY	FALSE	
1	cm1	IDEACLUSTER-PRUNED20%-0.5-logXY	FALSE	
1	cm1	IDEACLUSTER-PRUNED30%-0.5-logXY	FALSE	
2	cm1	log	FALSE	
3	cm1	IDEACLUSTER-PRUNED10%-0.5-logX	FALSE	
3	cm1	IDEACLUSTER-PRUNED20%-0.5-logX	FALSE	
3	cm1	IDEACLUSTER-PRUNED30%-0.5-logX	FALSE	
3	cm1	IDEACLUSTER-PRUNED10%-0.4-logXY	FALSE	
4	cm1	IDEACLUSTER-PRUNED20%-0.4-logXY	FALSE	
4	cm1	IDEACLUSTER-PRUNED30%-0.4-logXY	FALSE	
5	cm1	IDEACLUSTER-0.5-logX	FALSE	
6	cm1	IDEACLUSTER-0.4-logXY	FALSE	
7	cm1	IDEACLUSTER-0.4-logX	FALSE	
8	cm1	IDEACLUSTER-PRUNED10%-0.4-logY	FALSE	
9	cm1	IDEACLUSTER-PRUNED10%-0.4-logX	FALSE	
10	cm1	IDEACLUSTER-PRUNED20%-0.4-logX	FALSE	
11	cm1	IDEACLUSTER-PRUNED30%-0.4-logX	FALSE	
11	cm1	IDEACLUSTER-0.5-logY	FALSE	
12	cm1	IDEACLUSTER-PRUNED10%-0.5-logY	FALSE	
13	cm1	IDEACLUSTER-PRUNED20%-0.5-logY	FALSE	
14	cm1	IDEACLUSTER-0.4-logY	FALSE	
15	cm1	IDEACLUSTER-PRUNED30%-0.5	FALSE	
15	cm1	IDEACLUSTER-PRUNED30%-0.5-logY	FALSE	
16	cm1	IDEACLUSTER-PRUNED20%-0.4-logY	FALSE	
17	cm1	IDEACLUSTER-PRUNED20%-0.5	FALSE	
18	cm1	IDEACLUSTER-PRUNED30%-0.4-logY	FALSE	
19	cm1	IDEACLUSTER-0.5	FALSE	
19	cm1	IDEACLUSTER-PRUNED10%-0.5	FALSE	
19	cm1	IDEACLUSTER-0.2-logXY	FALSE	
20	cm1	IDEACLUSTER-PRUNED10%-0.2-logXY	FALSE	
21	cm1	IDEACLUSTER-PRUNED20%-0.2-logXY	FALSE	
21	cm1	IDEACLUSTER-PRUNED30%-0.2-logX	FALSE	

KC1, TRUE

Rank	Dataset	Treatment	Class	50%
1	kc1	log	TRUE	●
2	kc1	IDEACLUSTER-0.5-logXY	TRUE	●
3	kc1	IDEACLUSTER-PRUNED10%-0.5-logXY	TRUE	●
4	kc1	IDEACLUSTER-PRUNED20%-0.5-logXY	TRUE	●
5	kc1	IDEACLUSTER-PRUNED30%-0.5-logXY	TRUE	●
6	kc1	IDEACLUSTER-PRUNED30%-0.4-logXY	TRUE	●
7	kc1	IDEACLUSTER-PRUNED30%-0.5-logX	TRUE	●
8	kc1	IDEACLUSTER-PRUNED20%-0.5-logX	TRUE	●
9	kc1	IDEACLUSTER-0.4-logXY	TRUE	●
9	kc1	IDEACLUSTER-PRUNED10%-0.4-logXY	TRUE	●
10	kc1	IDEACLUSTER-PRUNED20%-0.4-logX	TRUE	●
10	kc1	IDEACLUSTER-PRUNED10%-0.5-logX	TRUE	●
10	kc1	IDEACLUSTER-PRUNED20%-0.4-logXY	TRUE	●
11	kc1	IDEACLUSTER-0.5-logX	TRUE	●
12	kc1	IDEACLUSTER-0.4-logX	TRUE	●
13	kc1	IDEACLUSTER-PRUNED10%-0.4-logX	TRUE	●
13	kc1	IDEACLUSTER-PRUNED30%-0.4-logX	TRUE	●
14	kc1	None	TRUE	●
15	kc1	IDEACLUSTER-0.2-logXY	TRUE	●
16	kc1	IDEACLUSTER-PRUNED20%-0.2-logXY	TRUE	●
16	kc1	IDEACLUSTER-PRUNED10%-0.2-logXY	TRUE	●
17	kc1	IDEACLUSTER-PRUNED30%-0.2-logXY	TRUE	●
17	kc1	IDEACLUSTER-PRUNED30%-0.2-logX	TRUE	●
18	kc1	IDEACLUSTER-PRUNED20%-0.4-logY	TRUE	●
19	kc1	IDEACLUSTER-PRUNED10%-0.2-logX	TRUE	●
20	kc1	IDEACLUSTER-0.2-logX	TRUE	●
21	kc1	IDEACLUSTER-PRUNED20%-0.2-logX	TRUE	●
22	kc1	IDEACLUSTER-PRUNED30%-0.4-logY	TRUE	●
23	kc1	IDEACLUSTER-0.2	TRUE	●
24	kc1	IDEACLUSTER-PRUNED30%-0.5-logY	TRUE	●
24	kc1	IDEACLUSTER-PRUNED10%-0.5-logY	TRUE	●
25	kc1	IDEACLUSTER-PRUNED20%-0.5-logY	TRUE	●
25	kc1	IDEACLUSTER-PRUNED10%-0.4-logY	TRUE	●

KC1, FALSE

Rank	Dataset	Treatment	Class	50%
1	kc1	log	FALSE	●
2	kc1	IDEACLUSTER-0.5-logXY	FALSE	●
2	kc1	IDEACLUSTER-PRUNED10%-0.5-logXY	FALSE	●
3	kc1	IDEACLUSTER-PRUNED20%-0.5-logXY	FALSE	●
4	kc1	IDEACLUSTER-PRUNED30%-0.5-logXY	FALSE	●
5	kc1	IDEACLUSTER-PRUNED30%-0.4-logXY	FALSE	●
6	kc1	IDEACLUSTER-PRUNED30%-0.5-logX	FALSE	●
7	kc1	IDEACLUSTER-PRUNED20%-0.5-logX	FALSE	●
8	kc1	IDEACLUSTER-0.4-logXY	FALSE	●
9	kc1	IDEACLUSTER-PRUNED10%-0.4-logXY	FALSE	●
9	kc1	IDEACLUSTER-PRUNED20%-0.4-logX	FALSE	●
10	kc1	IDEACLUSTER-PRUNED10%-0.5-logX	FALSE	●
11	kc1	IDEACLUSTER-PRUNED20%-0.4-logXY	FALSE	●
12	kc1	IDEACLUSTER-0.5-logX	FALSE	●
13	kc1	IDEACLUSTER-0.4-logX	FALSE	●
14	kc1	IDEACLUSTER-PRUNED10%-0.4-logX	FALSE	●
15	kc1	IDEACLUSTER-PRUNED30%-0.4-logX	FALSE	●
16	kc1	None	FALSE	●
17	kc1	IDEACLUSTER-0.2-logXY	FALSE	●
17	kc1	IDEACLUSTER-PRUNED20%-0.2-logXY	FALSE	●
18	kc1	IDEACLUSTER-PRUNED10%-0.2-logXY	FALSE	●
19	kc1	IDEACLUSTER-PRUNED30%-0.2-logXY	FALSE	●
19	kc1	IDEACLUSTER-PRUNED30%-0.2-logX	FALSE	●
20	kc1	IDEACLUSTER-PRUNED20%-0.4-logY	FALSE	●
20	kc1	IDEACLUSTER-PRUNED10%-0.2-logX	FALSE	●
21	kc1	IDEACLUSTER-0.2-logX	FALSE	●
22	kc1	IDEACLUSTER-PRUNED20%-0.2-logX	FALSE	●
23	kc1	IDEACLUSTER-PRUNED30%-0.4-logY	FALSE	●
24	kc1	IDEACLUSTER-0.2	FALSE	●
24	kc1	IDEACLUSTER-PRUNED30%-0.5-logY	FALSE	●
24	kc1	IDEACLUSTER-PRUNED10%-0.5-logY	FALSE	●
25	kc1	IDEACLUSTER-PRUNED20%-0.5-logY	FALSE	●
26	kc1	IDEACLUSTER-PRUNED10%-0.4-logY	FALSE	●

KC2, TRUE

Rank	Dataset	Treatment	Class	50%
1	kc2	log	TRUE	●
1	kc2	IDEACLUSTER-0.5-logXY	TRUE	●
1	kc2	IDEACLUSTER-PRUNED10%-0.5-logXY	TRUE	●
2	kc2	IDEACLUSTER-PRUNED20%-0.5-logXY	TRUE	●
2	kc2	IDEACLUSTER-PRUNED30%-0.5-logXY	TRUE	●
3	kc2	IDEACLUSTER-0.4-logXY	TRUE	●
3	kc2	IDEACLUSTER-PRUNED30%-0.4-logXY	TRUE	●
4	kc2	IDEACLUSTER-PRUNED10%-0.4-logXY	TRUE	●
5	kc2	IDEACLUSTER-PRUNED20%-0.4-logXY	TRUE	●
6	kc2	None	TRUE	●
7	kc2	IDEACLUSTER-0.2-logXY	TRUE	●
8	kc2	IDEACLUSTER-0.4-logX	TRUE	●
8	kc2	IDEACLUSTER-PRUNED30%-0.5-logX	TRUE	●
9	kc2	IDEACLUSTER-PRUNED10%-0.4-logX	TRUE	●
9	kc2	IDEACLUSTER-PRUNED20%-0.4-logX	TRUE	●
10	kc2	IDEACLUSTER-0.5-logX	TRUE	●
11	kc2	IDEACLUSTER-PRUNED30%-0.4-logX	TRUE	●
11	kc2	IDEACLUSTER-PRUNED10%-0.2-logXY	TRUE	●
12	kc2	IDEACLUSTER-0.4-logY	TRUE	●
13	kc2	IDEACLUSTER-PRUNED10%-0.5-logX	TRUE	●
14	kc2	IDEACLUSTER-PRUNED20%-0.5-logX	TRUE	●
15	kc2	IDEACLUSTER-PRUNED10%-0.4	TRUE	●
16	kc2	IDEACLUSTER-PRUNED20%-0.2-logXY	TRUE	●
17	kc2	IDEACLUSTER-PRUNED20%-0.4	TRUE	●
18	kc2	IDEACLUSTER-PRUNED30%-0.4	TRUE	●
18	kc2	IDEACLUSTER-0.1-logXY	TRUE	●
19	kc2	IDEACLUSTER-PRUNED10%-0.1-logXY	TRUE	●
20	kc2	IDEACLUSTER-0.5	TRUE	●
21	kc2	IDEACLUSTER-PRUNED30%-0.4-logY	TRUE	●
22	kc2	IDEACLUSTER-PRUNED10%-0.4-logY	TRUE	●
23	kc2	IDEACLUSTER-PRUNED20%-0.4-logY	TRUE	●
24	kc2	IDEACLUSTER-0.2-logY	TRUE	●
25	kc2	IDEACLUSTER-0.4	TRUE	●

KC2, FALSE

Rank	Dataset	Treatment	Class	50%
1	kc2	log	FALSE	-----●-----
2	kc2	IDEACLUSTER-0.5-logXY	FALSE	-----●-----
3	kc2	IDEACLUSTER-PRUNED10%-0.5-logXY	FALSE	-----●-----
4	kc2	IDEACLUSTER-PRUNED20%-0.5-logXY	FALSE	-----●-----
4	kc2	IDEACLUSTER-PRUNED30%-0.5-logXY	FALSE	-----●-----
4	kc2	IDEACLUSTER-0.4-logXY	FALSE	-----●-----
4	kc2	IDEACLUSTER-PRUNED30%-0.4-logXY	FALSE	-----●-----
5	kc2	IDEACLUSTER-PRUNED10%-0.4-logXY	FALSE	-----●-----
6	kc2	IDEACLUSTER-PRUNED20%-0.4-logXY	FALSE	-----●-----
7	kc2	None	FALSE	-----●-----
7	kc2	IDEACLUSTER-0.2-logXY	FALSE	-----●-----
8	kc2	IDEACLUSTER-0.4-logX	FALSE	-----●-----
9	kc2	IDEACLUSTER-PRUNED30%-0.5-logX	FALSE	-----●-----
10	kc2	IDEACLUSTER-PRUNED10%-0.4-logX	FALSE	-----●-----
11	kc2	IDEACLUSTER-PRUNED20%-0.4-logX	FALSE	-----●-----
11	kc2	IDEACLUSTER-0.5-logX	FALSE	-----●-----
12	kc2	IDEACLUSTER-PRUNED30%-0.4-logX	FALSE	-----●-----
13	kc2	IDEACLUSTER-PRUNED10%-0.2-logXY	FALSE	-----●-----
14	kc2	IDEACLUSTER-0.4-logY	FALSE	-----●-----
15	kc2	IDEACLUSTER-PRUNED10%-0.5-logX	FALSE	-----●-----
16	kc2	IDEACLUSTER-PRUNED20%-0.5-logX	FALSE	-----●-----
16	kc2	IDEACLUSTER-PRUNED10%-0.4	FALSE	-----●-----
16	kc2	IDEACLUSTER-PRUNED20%-0.2-logXY	FALSE	-----●-----
17	kc2	IDEACLUSTER-PRUNED20%-0.4	FALSE	-----●-----
18	kc2	IDEACLUSTER-PRUNED30%-0.4	FALSE	-----●-----
19	kc2	IDEACLUSTER-0.1-logXY	FALSE	-----●-----
19	kc2	IDEACLUSTER-PRUNED10%-0.1-logXY	FALSE	-----●-----
19	kc2	IDEACLUSTER-0.5	FALSE	-----●-----
19	kc2	IDEACLUSTER-PRUNED30%-0.4-logY	FALSE	-----●-----
20	kc2	IDEACLUSTER-PRUNED10%-0.4-logY	FALSE	-----●-----
20	kc2	IDEACLUSTER-PRUNED20%-0.4-logY	FALSE	-----●-----
21	kc2	IDEACLUSTER-0.2-logY	FALSE	-----●-----
22	kc2	IDEACLUSTER-0.4	FALSE	-----●-----

KC3, TRUE

Rank	Dataset	Treatment	Class	50%
1	kc3	IDEACLUSTER-PRUNED20%-0.5-logXY	TRUE	
1	kc3	IDEACLUSTER-PRUNED30%-0.5-logXY	TRUE	
1	kc3	IDEACLUSTER-0.5-logXY	TRUE	
2	kc3	IDEACLUSTER-PRUNED10%-0.5-logXY	TRUE	
2	kc3	log	TRUE	
3	kc3	IDEACLUSTER-0.4-logXY	TRUE	
3	kc3	IDEACLUSTER-PRUNED10%-0.4-logXY	TRUE	
4	kc3	IDEACLUSTER-PRUNED20%-0.4-logXY	TRUE	
5	kc3	IDEACLUSTER-PRUNED30%-0.4-logXY	TRUE	
6	kc3	IDEACLUSTER-PRUNED10%-0.4-logY	TRUE	
7	kc3	IDEACLUSTER-PRUNED20%-0.4-logY	TRUE	
7	kc3	IDEACLUSTER-PRUNED10%-0.5-logY	TRUE	
8	kc3	IDEACLUSTER-PRUNED10%-0.4-logX	TRUE	
9	kc3	IDEACLUSTER-PRUNED20%-0.4-logX	TRUE	
10	kc3	IDEACLUSTER-PRUNED30%-0.4-logY	TRUE	
11	kc3	IDEACLUSTER-0.5-logY	TRUE	
12	kc3	IDEACLUSTER-0.5-logX	TRUE	
12	kc3	None	TRUE	
13	kc3	IDEACLUSTER-PRUNED10%-0.5-logX	TRUE	
14	kc3	IDEACLUSTER-0.4-logX	TRUE	
15	kc3	IDEACLUSTER-0.4-logY	TRUE	
16	kc3	IDEACLUSTER-PRUNED20%-0.5-logY	TRUE	
16	kc3	IDEACLUSTER-PRUNED20%-0.5-logX	TRUE	
17	kc3	IDEACLUSTER-PRUNED30%-0.5-logX	TRUE	
17	kc3	IDEACLUSTER-PRUNED30%-0.5-logY	TRUE	
18	kc3	IDEACLUSTER-PRUNED20%-0.2-logX	TRUE	
19	kc3	IDEACLUSTER-PRUNED30%-0.4-logX	TRUE	
20	kc3	IDEACLUSTER-PRUNED30%-0.2-logX	TRUE	
20	kc3	IDEACLUSTER-0.5	TRUE	
21	kc3	IDEACLUSTER-PRUNED10%-0.2-logX	TRUE	
21	kc3	IDEACLUSTER-PRUNED30%-0.2-logXY	TRUE	
22	kc3	IDEACLUSTER-PRUNED20%-0.2-logXY	TRUE	
22	kc3	IDEACLUSTER-0.4	TRUE	

KC3, FALSE

Rank	Dataset	Treatment	Class	50%
1	kc3	IDEACLUSTER-PRUNED20%-0.5-logXY	FALSE	
2	kc3	IDEACLUSTER-PRUNED30%-0.5-logXY	FALSE	
3	kc3	IDEACLUSTER-0.5-logXY	FALSE	
4	kc3	IDEACLUSTER-PRUNED10%-0.5-logXY	FALSE	
5	kc3	log	FALSE	
6	kc3	IDEACLUSTER-0.4-logXY	FALSE	
6	kc3	IDEACLUSTER-PRUNED10%-0.4-logXY	FALSE	
6	kc3	IDEACLUSTER-PRUNED20%-0.4-logXY	FALSE	
7	kc3	IDEACLUSTER-PRUNED30%-0.4-logXY	FALSE	
8	kc3	IDEACLUSTER-PRUNED10%-0.4-logY	FALSE	
9	kc3	IDEACLUSTER-PRUNED20%-0.4-logY	FALSE	
10	kc3	IDEACLUSTER-PRUNED10%-0.5-logY	FALSE	
11	kc3	IDEACLUSTER-PRUNED10%-0.4-logX	FALSE	
12	kc3	IDEACLUSTER-PRUNED20%-0.4-logX	FALSE	
13	kc3	IDEACLUSTER-PRUNED30%-0.4-logY	FALSE	
14	kc3	IDEACLUSTER-0.5-logY	FALSE	
14	kc3	IDEACLUSTER-0.5-logX	FALSE	
15	kc3	None	FALSE	
16	kc3	IDEACLUSTER-PRUNED10%-0.5-logX	FALSE	
16	kc3	IDEACLUSTER-0.4-logX	FALSE	
17	kc3	IDEACLUSTER-0.4-logY	FALSE	
18	kc3	IDEACLUSTER-PRUNED20%-0.5-logY	FALSE	
19	kc3	IDEACLUSTER-PRUNED20%-0.5-logX	FALSE	
20	kc3	IDEACLUSTER-PRUNED30%-0.5-logX	FALSE	
20	kc3	IDEACLUSTER-PRUNED30%-0.5-logY	FALSE	
21	kc3	IDEACLUSTER-PRUNED20%-0.2-logX	FALSE	
22	kc3	IDEACLUSTER-PRUNED30%-0.4-logX	FALSE	
23	kc3	IDEACLUSTER-PRUNED30%-0.2-logX	FALSE	
24	kc3	IDEACLUSTER-0.5	FALSE	
25	kc3	IDEACLUSTER-PRUNED10%-0.2-logX	FALSE	
26	kc3	IDEACLUSTER-PRUNED30%-0.2-logXY	FALSE	
27	kc3	IDEACLUSTER-PRUNED20%-0.2-logXY	FALSE	
28	kc3	IDEACLUSTER-0.4	FALSE	

MW1, TRUE

Rank	Dataset	Treatment	Class	50%
1	mw1	IDEACLUSTER-0.5-logXY	TRUE	
1	mw1	IDEACLUSTER-PRUNED10%-0.5-logXY	TRUE	
2	mw1	IDEACLUSTER-PRUNED20%-0.5-logXY	TRUE	
3	mw1	IDEACLUSTER-PRUNED30%-0.5-logXY	TRUE	
4	mw1	IDEACLUSTER-PRUNED30%-0.5-logX	TRUE	
5	mw1	IDEACLUSTER-0.4-logXY	TRUE	
6	mw1	IDEACLUSTER-PRUNED10%-0.4-logXY	TRUE	
7	mw1	IDEACLUSTER-PRUNED20%-0.4-logXY	TRUE	
7	mw1	IDEACLUSTER-PRUNED30%-0.4-logXY	TRUE	
7	mw1	IDEACLUSTER-0.5-logX	TRUE	
7	mw1	IDEACLUSTER-PRUNED10%-0.5-logX	TRUE	
8	mw1	IDEACLUSTER-PRUNED20%-0.5-logX	TRUE	
9	mw1	IDEACLUSTER-PRUNED30%-0.4-logX	TRUE	
10	mw1	log	TRUE	
11	mw1	IDEACLUSTER-0.4-logX	TRUE	
12	mw1	IDEACLUSTER-PRUNED10%-0.4-logX	TRUE	
12	mw1	IDEACLUSTER-PRUNED20%-0.4-logX	TRUE	
13	mw1	IDEACLUSTER-0.2-logXY	TRUE	
13	mw1	IDEACLUSTER-PRUNED10%-0.2-logXY	TRUE	
14	mw1	IDEACLUSTER-PRUNED20%-0.2-logXY	TRUE	
15	mw1	IDEACLUSTER-PRUNED30%-0.2-logXY	TRUE	
15	mw1	IDEACLUSTER-0.4-logY	TRUE	
16	mw1	IDEACLUSTER-PRUNED10%-0.4-logY	TRUE	
16	mw1	IDEACLUSTER-PRUNED20%-0.4-logY	TRUE	
17	mw1	IDEACLUSTER-PRUNED30%-0.4-logY	TRUE	
17	mw1	IDEACLUSTER-PRUNED20%-0.5	TRUE	
18	mw1	IDEACLUSTER-0.5	TRUE	
19	mw1	IDEACLUSTER-PRUNED10%-0.5	TRUE	
20	mw1	None	TRUE	
21	mw1	IDEACLUSTER-0.5-logY	TRUE	
22	mw1	IDEACLUSTER-PRUNED10%-0.5-logY	TRUE	
23	mw1	IDEACLUSTER-PRUNED20%-0.5-logY	TRUE	
24	mw1	IDEACLUSTER-PRUNED30%-0.5-logY	TRUE	

MW1, FALSE

Rank	Dataset	Treatment	Class	50%
1	mw1	IDEACLUSTER-0.5-logXY	FALSE	-----●-----
2	mw1	IDEACLUSTER-PRUNED10%-0.5-logXY	FALSE	-----●-----
3	mw1	IDEACLUSTER-PRUNED20%-0.5-logXY	FALSE	-----●-----
4	mw1	IDEACLUSTER-PRUNED30%-0.5-logXY	FALSE	-----●-----
4	mw1	IDEACLUSTER-PRUNED30%-0.5-logX	FALSE	-----●-----
4	mw1	IDEACLUSTER-0.4-logXY	FALSE	-----●-----
5	mw1	IDEACLUSTER-PRUNED10%-0.4-logXY	FALSE	-----●-----
5	mw1	IDEACLUSTER-PRUNED20%-0.4-logXY	FALSE	-----●-----
5	mw1	IDEACLUSTER-PRUNED30%-0.4-logXY	FALSE	-----●-----
6	mw1	IDEACLUSTER-0.5-logX	FALSE	-----●-----
7	mw1	IDEACLUSTER-PRUNED10%-0.5-logX	FALSE	-----●-----
8	mw1	IDEACLUSTER-PRUNED20%-0.5-logX	FALSE	-----●-----
9	mw1	IDEACLUSTER-PRUNED30%-0.4-logX	FALSE	-----●-----
9	mw1	log	FALSE	-----●-----
9	mw1	IDEACLUSTER-0.4-logX	FALSE	-----●-----
10	mw1	IDEACLUSTER-PRUNED10%-0.4-logX	FALSE	-----●-----
11	mw1	IDEACLUSTER-PRUNED20%-0.4-logX	FALSE	-----●-----
11	mw1	IDEACLUSTER-0.2-logXY	FALSE	-----●-----
11	mw1	IDEACLUSTER-PRUNED10%-0.2-logXY	FALSE	-----●-----
12	mw1	IDEACLUSTER-PRUNED20%-0.2-logXY	FALSE	-----●-----
12	mw1	IDEACLUSTER-PRUNED30%-0.2-logXY	FALSE	-----●-----
13	mw1	IDEACLUSTER-0.4-logY	FALSE	-----●-----
14	mw1	IDEACLUSTER-PRUNED10%-0.4-logY	FALSE	-----●-----
15	mw1	IDEACLUSTER-PRUNED20%-0.4-logY	FALSE	-----●-----
16	mw1	IDEACLUSTER-PRUNED30%-0.4-logY	FALSE	-----●-----
17	mw1	IDEACLUSTER-PRUNED20%-0.5	FALSE	-----●-----
18	mw1	IDEACLUSTER-0.5	FALSE	-----●-----
19	mw1	IDEACLUSTER-PRUNED10%-0.5	FALSE	-----●-----
20	mw1	None	FALSE	-----●-----
20	mw1	IDEACLUSTER-0.5-logY	FALSE	-----●-----
21	mw1	IDEACLUSTER-PRUNED10%-0.5-logY	FALSE	-----●-----
22	mw1	IDEACLUSTER-PRUNED20%-0.5-logY	FALSE	-----●-----
23	mw1	IDEACLUSTER-PRUNED30%-0.5-logY	FALSE	-----●-----

PC1, TRUE

Rank	Dataset	Treatment	Class	50%
1	pc1	IDEACLUSTER-0.5-logXY	TRUE	-----●-----
2	pc1	IDEACLUSTER-PRUNED10%-0.5-logXY	TRUE	-----●-----
3	pc1	IDEACLUSTER-PRUNED20%-0.5-logXY	TRUE	-----●-----
4	pc1	IDEACLUSTER-0.4-logX	TRUE	-----●-----
5	pc1	IDEACLUSTER-PRUNED10%-0.4-logX	TRUE	-----●-----
5	pc1	IDEACLUSTER-PRUNED20%-0.4-logX	TRUE	-----●-----
5	pc1	IDEACLUSTER-PRUNED30%-0.4-logX	TRUE	-----●-----
5	pc1	IDEACLUSTER-PRUNED30%-0.5-logXY	TRUE	-----●-----
6	pc1	IDEACLUSTER-0.4-logXY	TRUE	-----●-----
7	pc1	IDEACLUSTER-PRUNED10%-0.4-logXY	TRUE	-----●-----

PC1, FALSE
Rank Dataset Treatment Class50%